

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO. DOX 1450 Alexandria, Virginia 22313-1450 www.usplu.gov

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/754,025

01/08/2004

Indu Bhusan Chatteriee

3030.003USV

PAUL D. GREELEY, ESQ.
OHLANDT, GREELEY, RUGGIERO & PERLE, L.L.P.
10th FLOOR
ONE LANDMARK SQUARE
STAMFORD, CT 06901-2682

CONFIRMATION NO. 6063
FORMALITIES LETTER
\*OC000000012342149\*

Date Mailed: 04/13/2004

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - Numbers, letters, and reference characters on the drawings must measure at least 0.32 cm (1/8 inch) in height. See Figure(s) 11, 23, 24, 26 and 28.
  - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 3, 7a, 7b, 9, 17, 18, 19, 20, 31, 32, 33, 34 and 35a-b.

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

2	NH	L
<b>D</b>	IN/t	†

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY